

FIGHEADH YARNWORKS

PATTERN ERRATA

Updated 2/2/15

Bold print is the correction. Errors are corrected and do not appear in subsequent printings.

[2005-2007] In numerical order:

#2201 ARAN WIGGLES TURTLENECK

p. 2

Front sts—size S

Rnd 1: P2, k2, p2 [k4, (p2, k2) twice, p2] twice, p2, C4B, (p4, C4B) twice, p4, [(k2, p2) twice, **k4**, p2] twice, k2, p2...

Rnd 7: P2, k2, p2 [C4F, (p2, k2) twice, p2] twice, k2, p3, T3B, T4F, T4B, T3F, p3, k2 [(p2, k2) twice, p2, **C4F**] twice, p2, k2...

Rnd 15: P2, k2, p2, [C4F, (p2, k2) twice, p2] twice, p1, T3F, (T4B, T4F) twice, T3B, p1, [(p2, k2) twice, p2, **C4F**] twice, p2, k2, p2.

p. 3

Front sts—size M...

Rnd 15: [(P2, k2) twice, p2, C4F] twice, (p2, k2) twice, **p3**, T3F, (T4B, T4F) twice, T3B, **p3**, [(k2, p2) twice, C4F, p2] twice, (k2, p2) twice.

#2213 FLOWING LOCKS CABLE CAP

p.1

CABLE PATTERN

Rnd 1: K2, *C4B, **k4**; rep to last 6 sts, C4B, k2."

#2222 MADRONA FELTED DERBY

p.2

Hat...

Rnd 3: *K7 (8, 9, 10), k2tog; rep from * to end.

#2228 MCGUINNESS BRANCH SOCKS

p.2

Turning the Heel

To work a classic round heel, knit across the first 16 sts, **k2, sl1, k1, pss0, k1, turn.** ("k2tog" should be left out just before bold print)

#2230 WOODSY BABY SET

Major pattern update 9/02/06

p.2

HAT

Rnd 19: As rnd 17.

#2239 MEN'S BACKBONE CABLE PULLOVER

p.1 & B on schematic, p. 5

Finished measurements:

Shoulder to hem 25 (**26.5, 28, 30**)

[2008-2014] In numerical order:

#2205 CABLES & LACE SOCKS (7/31/09)

This pattern has undergone a major update. For hard copy patterns, write to jen@jenhagan.com for how to receive a copy of the new pattern. If you have the PDF, you have received the update by e-mail from Ravelry. Thanks for your patience.

#2207 THE DROSTEN CAP (10/30/09)

The crown shaping is worked in 4 sections, so all crown dec directions should read "rep 3 more times" instead of "rep 4 times."

#2208 CHECKS & STRIPES FELTED SET (5/28/09)

p.3 (Hat Brim)

Rnd 15: *K2tog, k5 (7, 9), rep from * to end.

[72 (96, 120) sts rem].

#2214 MAIRI ZIP HOODIE

p.2

(For both front pieces) BO 16 (16, 19, 22, 24, 26) sts across shoulder. Also incorrect in "Assembly" section.

#2219 LATTICE CABLE CAP (11/11/08)

p.2 (second column)

CAP

Rev St st:

Rnd 30 (and all even rnds): **Purl**.

#2225 MAIREAD (update 11/17/08)

p. 3-4

CAP

To make watch cap, with 16" circular needles, CO 80 sts, pm, & join without twisting sts. Work k1, p1 rib for 6 rnds. Change to cable patt and work until cap measures 3.5" from beg, or 16 rnds of cable patt. Dec for crown, keeping in cable patt until rnd 25.

Rnd 17: K2, p2tog, k4, p2, k2, p2tog, **C2F**, **C2B**, p2; rep to end [72 sts rem].

Rnd 18 (and all even rnds): Knit the knit sts & purl the purl sts.

Rnd 19: K2, p1, C4B, p2tog, k2, p1, **C2B**, **C2F**, p2tog; rep to end [64 sts rem].

Rnd 21: Ssk, p1, k4, p1, k2tog, p1, **C2B**, **C2F**, p1 [56 sts rem].

Rnd 23: Ssk, C4B, k2tog, p1, **C2F**, **C2B**, p1; rep to end. [48 sts rem].

Rnd 25: K2tog; rep to end [24 sts rem].

Rnd 27: As rnd 25 [12 sts rem].

Rnd 29: As rnd 25 [6 sts rem].

Break yarn, leaving 6" tail. Draw tail through rem sts to close hole. Make pom pom & attach.

#2226 SECRET GARDEN TAM

p.2

TAM

With 16" circular needles, CO 80 (96) sts, pm, & join without twisting sts.

#2227 CALUM

p. 2

Front

Join another ball of yarn and work the front sts, keeping in patt. Remember that now the odd rnds will be WS. At the same time, when piece measures **19.5 (20.5, 21, 22)**" work to one st before center st, place next st on holder, join another ball of yarn and work to the end of the row. Working both sides at once, dec 1 st (k2tog before the V; ssk after the V) at each neck edge every RS row **19 (19, 20, 21)** times. Cont in patt st until piece measures 26.5 (27.5, 28, 29)" from purl rnd for hem. **BO 37 (39, 41, 42)** sts across each shoulder, adding dec st in the middle of the cable on the left front, if needed, to make a smooth edge.

COLLAR

With RS facing, with dpn or 16" circular, pick up **39 (40, 41, 43)** sts from back neck, **42** sts from left neck edge, pm, pick up 1 st from holder at center, pm, and pick up **42** sts from right neck edge, pm & join **total 124 (125, 126, 128) sts**.

#2234 LACHLANN (3/02/10)

p.1

FINISHED MEASUREMENTS

Chest: 20.5 (23, 27.5)"

p. 2 & 3

Back

With CC1, CO 90 (102, **125**) sts. Work in k1, p1 rib for 2 rows in CC1, 2 rows in MC, and then 2 rows CC2. Inc 2 (2, 3) sts evenly across next row, working cable rib in MC at the same time, ending with **p2, k4, p2**. There are now 92 (104, **128**) sts on the needle. Work in cable rib using patt chart, following the 16-row color rep at the same time as the 4-row cable rep: 13 rows MC, 1 row CC2, 1 row CC1, 1 row CC2; rep.

When piece measures 5 (6, 6.5)" from CO edge, begin armhole shaping. BO 6 (**6, 8**) sts at beg of next 2 rows. Then dec 1 st at each edge on the next row, and then every other row 4 (**4, 5**) **times more**. Cont in Cable Rib Patt (w/ color) until piece measures 8.25 (9.25, 10.25)" from CO edge. Shape the shoulders. BO 6 (**8, 10**) sts at the beg of the next 6 rows. BO rem **34 (34, 40)** sts, or place them on a holder to pick up collar later.

Front

Make two, reversing shaping. With smaller needles & CC1, CO 42 (54, 65) sts. Work in k1, p1 rib same as for back, following color sequence. Next row, inc 2 (2, 3) evenly across row [**44 (56, 68) total**]. At the same time, establish Cable Rib Patt in MC as in chart. Work cable rib in color sequence until piece measures 5 (6, 6.5)" from CO edge. Work armhole shaping as for back.

At the same time, when piece measures 7 (7.5, 8)", begin neck shaping. **BO 6 (7, 8)** sts at neck edge once, **0 (4, 4)** once, and then dec 1 st at neck edge **9 (10, 12) times**. When piece measures 8.25 (9.25, 10.25)" from CO edge, shape shoulders same as for back. **BO 6 (8, 10) sts at armhole edge 3 times**.

Collar

Seam shoulders. With CC2, pick up 6 sts along right front band, **6 (11, 12)** sts along BO edge, **14 (20, 20)** sts along RF side neck, **34 (34, 40)** sts along back, **14 (20, 20)** sts along LF side neck, **6 (11, 12)** BO sts, and 6 sts along top of band. [Total **86 (108, 116)** sts]

p. 5

FINISHED MEASUREMENTS

A. 10.25 (11.5, 13.75)"

#2239 MEN'S BACKBONE CABLE PULLOVER (11/9/08)

p. 3, second column, last paragraph:

When the piece measures 15 (15.5, 16, 17)" from CO edge, separate front from back by placing the front 91 (101, 107, 117) sts on a holder, making note of where you are in the hand chart. Work the back 94 (104, 112, 122) sts, cont cable until the back measures 24 (25.5, 27, 29)" from CO edge. Work 31 (39, 42, 46) sts, BO middle 24 (26, 28, 30) back neck sts, and finish row with 31 (39, 42, 46) sts. Work across those sts on WS, and then attach another ball of yarn and work other 31 (39, 42, 46) sts separately. Dec 1 st at each neck edge hereafter 4 (5, 6, 6) times. Place each set of rem 31 (34, 36, 40) shoulder sts on holders.

Join another ball of yarn and finish working front 91 (101, 107, 117) sts, returning to and completing the hand patt. When piece measures 22 (23.5, 24.5, 26.5)" from CO edge, begin neck shaping. Work 37 (41, 44, 49) sts and then BO center 15 (19, 19, 19) sts. Join another ball of yarn so that both sides of front may be worked separately.

Dec 1 st at each neck edge every other row 6 (7, 8, 9) times. When piece measures 25 (26.5, 28, 30)" from CO edge, work three-needle BO on 31 (34, 36, 40) shoulder sts, or simply seam shoulders.

#2240 FISHERNET CABLE BAG (12/27/08)

p. 2

BAG

[middle of second paragraph]

(pick up the first and last 6 sts only between the garter st "bumps" and the middle 38 sts every row)

#2242 MEADOWOOD TABLE RUNNER (4/01/09)

p. 2

Row 9: K2, p4, k2tog, yo, p1, k1, p7, k2, p1, k2, k3tog, k2, yo, k1, yo, k2, p1, k2, yo, k1, yo, k2, sssk, k2, p1, k2, p7, k1, p1, yo, ssk, p4, k2.

#2243 MAVIS LACE SCARF (11/21/08)

p.1 Chart fix (06/04/09)

Yarn weight	Needle size	Yarn Amount	Gauge	Finished Measurement
 1 SUPER FINE	US size 3 (3.25 mm)	295 yds (270 m)	6.5 sts/ 10 rows =1" in lace patt	5" x 56"
 3 LIGHT	US size 5 (3.75 mm)	250 yds (229 m)	5.75 sts/ 7.5 rows = 1" in lace patt	5.75" x 40"
 4 MEDIUM	US size 8 (5 mm)	250 yds (229 m)	4.5 sts/5.5 rows = 1" in lace patt	7.25" x 50"
 5 BULKY	US size 10 (4.5 mm) Photo model in Cascade 128, color #3438	122 yds (112 m)	3.25 sts/4.5 rows =1" lace patt	10" x 30"

p. 2

STITCH PATTERN

Row 5 (RS): (K1, p1) twice, (k1, yo, k2, sl 1, k2tog, pssso, k2, yo) **three times**, k1, (p1, k1) twice.

#2245 RUDY TOTE

p. 3 & 4

(Second column, top of each page)

6. Move those three sts one at a time, back onto the LH needle. The working yarn is now coming from behind, as in a regular I-cord.

7. K the first 2 sts, & then k the 3rd st and the next st on the LH needle tog (k2tog) through the back loops, picking up a new st to BO.

Rep 6 & 7 until all sts are bound off.

#2248 BIG EASY BLANKET (3/17/10)

p. 3 under "Basketweave (B)"

Row 1 (RS): Knit.

Rows 2, 3, 4, 5: K4, p4; rep to end.

Row 6: Purl.

Rows 7, 8, 9, 10: P4, k4; rep to end.

Row 11: Knit.

Rows 12, 13, 14, 15: Knit 4, p4; rep to end.

Row 16: Purl.

#2249 DAINTY ANKLES SOCKS

This pattern has undergone a major update. For hard copy patterns, write to jen@jenhagan.com for how to receive a copy of the new pattern. If you have the PDF, you will receive the update by e-mail from Ravelry. Thanks for your patience.

#2253 FEDORA SOCKS

p. 3

Turn the Heel

To work a classic round heel, RS, knit across the first 16 sts, k2tog (to even the st #), & then k2, sl 1, k1, pssso, k1, turn.

#2256 MEME CARDIGAN

p. 19

Stitch Glossary

T3L (twist three left): Sl next st to cn and hold front. K1, p1 from LH needle, k1 from cn.

T3R (twist three right): Sl next two sts to cn and hold back. K1 from LH needle, p1, k1 from cn.

#2257 SARAH (update 10/20/08 & 10/30/09)

GAUGE

14 sts & 18 rows = 4"/10 cm in St st

p.2

Saddle Shoulder—12-st panel

Row 1: K1, p2, C4F, k2, p2, k1.

(first paragraph, first sentence under **Body**) 10/30/09

[Total 139 (157, 175, 195, 213, 229, 247) sts].

(second paragraph under **Body**) 10/30/09

Work in patt for 15 (15, 15.5, 15.5, 16, 16.5, 17)". Separate front from back, place front sections on holders, and work back piece in patt until entire piece measures **20 (21, 21.5, 22, 22.75, 23.5, 24.25)"** from CO edge, ending with a WS row. Work across 23 (27, 29, 32, 35, 38, 41) shoulder sts, BO center 27 (29, 33, 35, 37, 41, 43) sts, and work rem 23 (27, 29, 32, 35, 38, 41) sts. Place the shoulder sts on holders.

p. 3 (10/30/09)

Return to front and work until pieces measure **16.25 (17, 17, 17, 17, 17.25, 17.5)"** from CO edge. Cont in patt at the same time as decreasing for v-neck. Dec 1 st at each neck edge every RS row **10 (10, 13, 16, 18, 18, 20)** times. There are now 23 (27, 29, 32, 35, 38, 41) sts on each shoulder. When piece measures **20 (21, 21.5, 22, 22.75, 23.5, 24.25)"** from CO edge, ending with a WS row, place sts on holders.

p.3 (10/30/09)

Saddle Shoulder Foundation Rows

RS: Sl 1 pwise, p2, **C4F, k2**, p2, k2tog with last of 12 saddle shoulder sts.

WS: Sl 1 kwise, k2, p6, k2, ssp with last st on saddle and next st on body. Turn.

(second column, **SLEEVES** first paragraph, last sentence) 11/24/08

At the same time, dec 1 st either side of marker every 5 (4, 5, 4, 4, 4, 4) rows 14 (18, 17, 19, 19, 19, 19) times. BO 30 (32, 34, 34, 38, 38, **40**) sts rem at the wrist.

p.4

RF Size 32 chart

Row 7: (P2, k2, C4B) twice, p2, k2, p2, C4F, p3, k2, C4B, p2.

[extra "p2" taken out of parenthetical instruction]

p. 7

Back Size 28 (2/27/09)

Row 5: P3, T3B, T3F, T3B, p3, C4F, k2, p5, (**C6B**, p4) twice, k3, p3, C4F, k2, p3, T3B, T3F, T3B, p3.

Row 7: P3, k2, p2, C4F, p4, k2, C4B, p3, (T5R, T5L) twice, T5R, p3, k2, C4B, p3, k2, p2, **C4F**, p4.

(chart is also incorrect for line 7—shows C4B on last cable)

Back Size 32 (2/27/09 & 10/30/09)

Row 5: P2, C4F, k2, p2, T3B, T3F, T3B, p2, C4F, k2, **p4**, (**C6B**, p4) twice, k3, p2, C4F, k2, p2, T3B, T3F, T3B, p2, C4F, k2, p2.

p. 9 (4/30/09)

Back Size 48

Row 1: P4, (T3F, T3B, T3F, p3, C4F, k2, p3) twice, k3, (p4, C6F) twice, ~~C6F~~, p5, C4F, k2, p3, T3F, T3B, T3F, p3, C4F, k2, p3, T3F, T3B, T3F, p4.

p. 13 SCHEMATIC (10/22/09)

D. 6.5 (7.5, 7.5, 8, 8.25, 8.5,

8.75)" [armhole]

H. H. 5.25 (5.5, **6, 6.5, 7.25, 7.75, 8.25)"**

[front neck depth]

#2259 BALOO

p.3

Front

Beg by working the legs the same as for back, except when working the joining row with CO in the center, start by working across RS of left leg. When joined, work total 58 (65, 72) sts only until entire body measures 9.5 (10, 11.5)" , ending with a WS row. Next RS row, form the placket. Work 27 (30, 33) sts to center 4 (5, 6) sts, BO those 4 (5, 6) sts, join another ball of yarn & **work each set of 27 (30, 33) sts separately until entire piece measures 14.75 (15, 16.75)" . BO 7 sts at the beg of the next 2 rows for underarm shaping.**

Cont to work rem 20 (23, 26) side sts separately without further shaping until entire piece measures 17 (18, 20)" . Shape neck. BO 5 sts at the neck edge of the next 2 rows [**15 (18, 21) sts rem**]. **Then BO 2 sts at the neck edge every other row 2 (2, 3) times & 1 st at the neck edge of every row 0 (1, 0) time(s)**. Place rem 11 (13, 15) shoulder sts on holders to use 3-needle BO during the finishing, or BO if planning to seam the shoulders. Total length is now 19 (20, 22)" .

#2260 TREEHUGGER MITTS & HEADBAND (11/09/09; 12/12/09)

p. 4 (first column)

LEFT MITT (Take out the first two sentences.)

~~Work the same as the other mitt, except thumb gusset is worked on needle 2. Work patt across needle 1, and work to last 3 sts of needle 2, M1R before the st and M1L after the st.~~

(second column)

Rnd 34: Work in patt to last 9 sts, **k2**, drop/slip st twist on next 4 sts, **k3**.

Rnd 35: Work rnd 1 to last 9 sts, **k3**, p2, **k4**.

Rnd 36, 38, & 40: Knit.

Rnd 37: Work rnd 3 to last 9 sts, M1R, **k3**, p2, **k2**, M1L, k2 (9 gusset sts).

Rnd 39: Work rnd 5 to last 11 sts, **k4**, p2, **k5**.

Rnd 41: Work rnd 7 to last 11 sts, M1R, **p3**, sl 1 wyib, p2, sl 1 wyib, **p2**, M1L, p2 (11 gusset sts).

Rnd 42: Work rnd 8 to last 10 sts, **k1**, sl 1 wyib, k2, sl 1 wyib, **k5**.

Rnd 43: Work rnd 9 to last 10 sts, **p1**, sl 1 wyib, **p2**, sl 1 wyib, **p5**.

Rnd 44: Work rnd 10 to last 10 sts, **k1**, drop/sl st twist on next 4 sts, **k5**.

Rnd 45: Work rnd 1 to last 13 sts, M1R, **k5**, p2, **k4**, M1L, k2 (13 gusset sts).

Rnd 46, 48, & 50: Knit.

Rnd 47: Work rnd 3 to last 11 sts, **k2**, p2, **k7**.

(skip)

Rnd 51: Work patt rnd 7 to last 13 sts, sl 1 wyib, p2, **sl 1 wyib, ssk**, k3, k2tog, p2 (5 gusset sts rem).

p. 4 (add these instructions for left thumb)

Thumb

Place the first 5 sts of the 13 from holder on one dpn, the next 7 on a second dpn, and the last st on a third dpn. Join new yarn at the first of the 7 sts on the second dpn, leaving the first 5 sts until the end of the rnd. Work across the 7 sts as rnd 5: k1, p2, k4. On the next dpn, k1, M1 at the corner, pick up and ktbl 7 sts from gusset, and M1 at the other corner. K the 5 sts waiting on the first dpn. End of rnd. Reposition the sts so that there are 7 on the next needle (now needle 1), 9 on the next needle (the next st, M1 and 7 of the gusset sts), and 6 on the next needle (M1, and the first 5 sts from holder). Work rnd 6 of the Jewel Cross Rib patt, but dec the corners of the gusset: k8, ssk, k5, k2tog, k5 (20 sts on needles, now positioned 7/7/6). Work rnds 7-10 of the patt:

Rnd 7: Sl 1 wyib, p2, sl 1 wyib, p16.

Rnd 8: Sl 1 wyib, k2, sl 1 wyib, k16.

Rnd 9: As rnd 7

Rnd 10: [Drop 1st st, sl next 2 sts to RH needle, drop next st, pick up 1st dropped st with LH needle, sl 2 sts back to LH needle, pick up 1st dropped st with tip of RH needle, place on LH needle], k20.

Work rnds 1-5 once more:

Rnds 1, 3, 5: K1, p2, k17.

Rnds 2 & 4: Knit.

BO all 20 sts firmly. Weave in ends on WS, using them to close holes in gusset corners.

#2263 NOODLEHEADS

p. 3—Fettucini, first column

Row 20: K2, kf&b, k6, p4, k6, kf&b, k2 (24 sts). [Second “p4” before “kf&b” should not be there.]

p. 3—Lasagna

“Entire Headband

Row 1: P2, k2, p2, k12, p2, k2, p2.

Row 2: K2, p2, k2, p12, k2, p2, k2.

Row 3: P2, k2, p2, C4F, k4, C4B, p2, k2, p2.

Row 4: As row 2.

Rep these 4 rows for patt.”

#2265 VERTIGO SOCKS

p. 3

(**Adult XL cont**) [01/09/09]

Main Patt

Rnd 7: *K4, p1, k2, k2tog, k2, yo, p1; rep from * to end.

Heel Flap (end of first paragraph) [8/06/08]

There are now 26 (32, 34) sts on the heel needle and 28 (34, 38) sts on the instep needle.

(next paragraph)

...Work 24 (30, 32) rows for heel flap, ending by working a WS row.

(last full paragraph) [1/27/09]

Work across the sts on the instep needle in patt, returning to rnd 1 of the Vertigo patt as in chart. M1 again between needles as before, and then pick up and ktbl 12 (15, 16) sts along other side of heel flap.

#2266 SHERROD [7/31/09] *Note: If you have version 2.0 pay no attention to these corrections.*

Size 46

Finished Chest Measurement: 50.25”

CO 119 for front (not 126).

Second paragraph, page 3: Inc 3 sts between 1st & 2nd marker (not 0).

There are now 122 sts on front (not 126).

Total sts 226 (not 230).

Third paragraph, page 3: Place 26 sts on holder for front neck (not 28).

Dec 1 st at each neck edge 4 times (not 5).

On A Charts, use the chart for size 40 & 42, adding one more p st after first marker and before second marker.

#2268 FIONN (updated 10/29/08)

p. 2

(Last paragraph) *At the same time* inc 2 sts on front & 2 sts on back on rnd 1 of the cable patt: P2, inc 1 (kf&b), k8 before beginning the 12-st patt. On last 11 sts before marker, **k8**, inc 1, p2.

p.3

(Third paragraph, second column) To work sleeves top down, beginning at lower armhole on RS and with 16" circular needle, pick up 43 (44, **49**, 58, 64, 67) sts before shoulder seam, 43 (44, **49**, 58, 64, 67) sts after shoulder seam, pm & join sts without twisting. Next rnd is worked as follows to set up cable patt on the total 86 (88, **98**, 116, 128, 134) sts:

#2269 RAIBEART (updated 10/06/09)

p. 3

(second column, third paragraph, first sentence)

Keep working rnds in patt, working same M1 after first marker and before second marker on both gussets, on odd (RS) rnds only until each gusset measures 2 (2, 2, **2.5**, 2.5, 3)" and there are 11 (11, 11, 13, 13, 15) sts on each gusset.

p. 4

(second column)

Left Shoulder

With waste yarn dpn in RH and **LF** needle in LH (ignoring **LB** needle until later), RS facing, knit first st on RF needle and sl last st on dpn over it.

p.6

Rnd 10: P2, k3, p1, k1, p1, k3, k2, p3, k1b, k1, k1b, p3, k2, k1, (p6, k2) 4x, p6, **k1**, k2, p3, k1b, k1, k1b, p3, k2, k3, p1, k1, p1, k3, p2.

p.8

Rnd 10: P3, k3, p1, k1, p1, k3, k2, p3, k1b, k1, k1b, p3, k2, k1, (p6, k2) 3x, p6, **k1**, k2, p3, k1b, k1, k1b, p3, k2, k3, p1, k1, p1, k3, p3.

p.10

Rnd 10: P2, k3, p1, k1, p1, k3, k1, p3, k1b, k1, k1b, p3, k2, k1, (p6, k2) 3x, p6, **k1**, k2, p3, k1b, k1, k1b, p3, k1, k3, p1, k1, p1, k3, p2.

p.14

Rnd 10: P2, k3, p1, k1, p1, k3, k1, p3, k1b, k1, k1b, p3, k1, k1, (p6, k2) twice, p6, **k1**, k1, p3, k1b, k1, k1b, p3, k1, k3, p1, k1, p1, k3, p2.

p.16

Rnd 10: P3, k3, p1, k1, p1, k3, k1, p3, k1b, k1, k1b, p3, k1, k1, p6, k2, p6, **k1**, k1, p3, k1b, k1, k1b, p3, k1, k3, p1, k1, p1, k3, p3.

p.20

T2B (twist 2 back)—Sl the next st onto a cn and hold at the back of the work. **Knit** the next st from the LH needle and then **purl** the st from the cable needle.

#2271 IAIN (update 10/2013)

This pattern has undergone a major update. For hard copy patterns, write to jen@jenhagan.com for how to receive a copy of the new pattern. If you have the PDF, you will receive the update by e-mail from Ravelry. Thanks for your patience.

(12/22/14)

SLEEVES

Work the sleeves top down. Beg at lower armhole with 16" circular, RS facing, pick up 34 (**39**, **41**, 46, 48) sts. Place the 12 saddle sts on another 16" circular or dpn and work across them in patt. Pick up 34 (**39**, **41**, 46, 48) sts from second half of armhole, pm, and join the total 80 (90, **94**, **104**, **108**) sts to work in the rnd. Cont to work Chart D at center as you incorporate the other picked-up sts into the Chart A patt. For second half of

sleeve, mirror the patt sts established on first half of sleeve sts. You may want to pm before and after **12 saddle sts** to keep your place.

Shape the sleeve. Dec 1 st before and after marker every **4 rnds 7 (8, 10, 19, 18)** times and then every 6 rnds **12 (12, 11, 6, 7) times**. After all dec are worked, **42 (50, 52, 54, 58)** sts rem. Cont in patt until sleeve measures approx 16.5 (17.5, 17.75, 18.75, 19.25)" or to approx 1.25" before desired length. Work garter st cuff for 8 (10, 10, 10, 10) rnds. BO all sts. Sleeve should now measure 18 (19, 19.5, 20.5, 21)" if no extra length was added.

#2272 LOMBARD STREET GLOVES (2/2/15)

page 5, first column

Rnd 23 (11): K2 (4, 5, 7), p2, C4B, k2, p2 (2, 4, 4), k2, C4F, p2, k36 (42, 47, 53).

#2286 Ingefred Hat (1/6/14)

p. 3

CHART B : CROWN (Large)

Rnd 17: K1, p2tog, T4F, T4B, p2tog, k1; rep three times [48 sts rem].

#2276 GLENTREKKER CARDIGAN (11/29/14)

Four ring markers are needed for this project (mentions two in materials list).

p. 13

This text was edited.

Join Body and Sleeves

Work next RS body row to 16 (16, 16, 18, 18, 18, 20, 20, 20) sts before m, remove m, and place those sts on holder or scrap yarn. Pm, join first sleeve by moving larger set of sts from holder to LH needle or second circular needle and working sleeve sts in patt. Pm, work across back body sts, sl m, place next 16 (16, 16, 18, 18, 18, 20, 20, 20) sts on holder, join second sleeve the same, pm, and work across rem of body. You should now have both sleeves joined to the body and four m indicating where raglan shaping will occur [256 (278, 298, 310, 328, 346, 358, 372, 392) total sts]. The sts will be a bit tight at the sleeve joins until you have worked a few rows.

Chart for Size 35.5 Back section has errant purl stitches in lines 8 and 10 at stitches 43 and 44. Refer to written instructions.

#F01 Fundamental Top-Down Socks (6/25/13)

p. 5

HEEL FLAP

Row 3: K3, *sl 1 kwise, k1; rep from * to last st, k1.

#F07 Fundamental Junior Vest (2/27/12)

p. 6

Front (second paragraph)

RS, BO 4 (4, 5, 5) / 4 (4, 5, 5, 5, 5, 5) sts, k 18 (20, 21, 23) / 25 (27, 29, 30, 33, 34, 36, 37) sts, place center 2 sts on holder, join another ball of yarn (to work sides separately), work across rem 22 (24, 26, 28) / 29 (31, 34, 35, 38, 39, 41, 42) sts, and turn. WS, BO 4 (4, 5, 5) / 4 (4, 5, 5, 5, 5, 5) sts....

#F09 Fundamental Men's Vest (4/20/10)

p. 4

Gauge should be **20 sts & 28 rows = 4" / 10 cm**

p. 6

Gauge should be 16 sts & 22 rows = 4" / 10 cm

CABLEOLOGY II HEADBAND

In Section Two, page 4, the symbols for "sl 2 kwise, k1, pss0" and "k2tog on WS, p2tog on RS" are switched.